

Package ‘testex’

April 15, 2024

Title Add Tests to Examples

Version 0.2.0

Description Add tests in-line in examples. Provides standalone functions for facilitating easier test writing in Rd files. However, a more familiar interface is provided using ‘roxygen2’ tags. Tools are also provided for facilitating package configuration and use with ‘testthat’.

URL <https://github.com/dgkf/testex>, <https://dgkf.github.io/testex/>

License MIT + file LICENSE

Depends R (>= 3.2.0)

Imports utils

Suggests testthat, withr, callr, roxygen2, spelling, knitr, rmarkdown

Encoding UTF-8

RoxygenNote 7.3.1

Language en-US

VignetteBuilder knitr

Config/testex/options list(version = “0.2.0”)

NeedsCompilation no

Author Doug Kelkhoff [aut, cre]

Maintainer Doug Kelkhoff <doug.kelkhoff@gmail.com>

Repository CRAN

Date/Publication 2024-04-14 23:30:02 UTC

R topics documented:

fallback_expect_no_error	2
testex	3
testex-roxygen-tags	4
testex-testthat	5
test_examples_as_testthat	6
uses_roxygen2	7

use_testex	8
use_testex_as_testthat	8
with_attached	9
with_srcref	9

Index	11
--------------	-----------

fallback_expect_no_error
Expect no Error

Description

Expect no Error

Usage

fallback_expect_no_error(object, ...)

Arguments

object	An expression to evaluate
...	Additional arguments unused

Value

The value produced by the expectation code

Note

This is a stop-gap implementation, and will only be used for legacy versions of testthat before this was properly supported.

A testthat expectation that the provided code can be evaluated without producing an error. This is the most basic expectation one should expect of any example code. Further expectations are provided in subsequent testthat code.

Description

A wrapper around `stopifnot` that allows you to use `.` to refer to `.Last.value` and preserve the last non-test output from an example.

Usage

```
testex(
  ...,
  srcref = NULL,
  example_srcref = NULL,
  value = get_example_value(),
  envir = parent.frame(),
  style = "standalone"
)
```

Arguments

<code>...</code>	Expressions to evaluated. <code>.</code> will be replaced with the expression passed to <code>val</code> , and may be used as a shorthand for the last example result.
<code>srcref</code>	An option <code>srcref_key</code> string used to indicate where the relevant test code originated from.
<code>example_srcref</code>	An option <code>srcref_key</code> string used to indicate where the relevant example code originated from.
<code>value</code>	A value to test against. By default, this will use the example's <code>.Last.value</code> .
<code>envir</code>	An environment in which tests should be evaluated. By default the parent environment where tests are evaluated.
<code>style</code>	A syntactic style used by the test. Defaults to <code>"standalone"</code> , which expects <code>TRUE</code> and uses a <code>.</code> -notation. Accepts one of <code>"standalone"</code> or <code>"testthat"</code> . By default, styles will be implicitly converted to accommodate known testing frameworks, though this can be disabled by passing the style <code>"AsIs"</code> with <code>I()</code> .

Value

Invisibly returns the `.Last.value` as it existed prior to evaluating the test.

Documenting with testex

`testex` is a simple wrapper around execution that propagates the `.Last.value` returned before running, allowing you to chain tests more easily.

Use in Rd files::

```

\examples{
  f <- function(a, b) a + b
  f(3, 4)
  \testonly{
    testex::testex(
      is.numeric(.),
      identical(., 7)
    )
  }
}

```

But Rd files are generally regarded as being a bit cumbersome to author directly. Instead, `testex` provide helpers that generate this style of documentation, which use this function internally.

Use with roxygen2:

Within a roxygen2 `@examples` block you can instead use the `@test` tag which will generate Rd code as shown above.

```

#' @examples
#' f <- function(a, b) a + b
#' f(3, 4)
#' @test is.numeric(.)
#' @test identical(., 7)

```

testex-roxygen-tags [testex](#) roxygen2 tags

Description

`testex` provides two new roxygen2 tags, `@test` and `@testthat`.

tags

`testex` tags are all sub-tags meant to be used within an `@examples` block. They should be considered as tags *within* the `@examples` block and used to construct blocks of testing code within example code.

@test: In-line expectations to test the output of the previous command within an example. If `.` is used within the test expression, it will be used to refer to the output of the previous example command. Otherwise, the result of the expression is expected to be identical to the previous output.

```

#' @examples
#' 1 + 2
#' @test 3
#' @test . == 3
#'
#' @examples
#' 3 + 4
#' @test identical(., 7)

```

@testthat: Similar to `@test`, `@testthat` can be used to make in-line assertions using `testthat` expectations. `testthat` expectations follow a convention where the first argument is an object to compare against an expected value or characteristic. Since the value will always be the result of the previous example, this part of the code is implicitly constructed for you.

If you want to use the example result elsewhere in your expectation, you can refer to it with a `..`. When used in this way, `testex` will not do any further implicit modification of your expectation.

```
#' @examples
#' 1 + 2
#' @testthat expect_equal(3)
#' @testthat expect_gt(0)
#'
#' @examples
#' 3 + 4
#' @testthat expect_equal(., 7)
```

testex-testthat

Support for testthat Expectations

Description

`testthat` support is managed through a "style" provided to `testex`. When using the `testthat` style (automatically when using the `@testthat` tag), expectations are processed such that they always refer to the previous example. Special care is taken to manage propagation of this value through your test code, regardless of how `testthat` is executed.

Examples

```
# example code
1 + 2

# within `testex` block, test code refers to previous result with `.`
testex(style = "testthat", srcref = "abc.R:1:3", {
  test_that("addition holds up", {
    expect_equal(., 3)
  })
})
```

test_examples_as_testthat

Execute examples from Rd files as testthat tests

Description

Reads examples from Rd files and constructs testthat-style tests. testthat expectations are built such that

Usage

```
test_examples_as_testthat(
  package,
  path,
  ...,
  test_dir = file.path(tempdir(), "testex-tests"),
  clean = TRUE,
  overwrite = TRUE,
  roxygenize = !is_r_cmd_check() && uses_roxygen2(path),
  reporter = testthat::get_reporter()
)
```

Arguments

package	A package name whose examples should be tested
path	Optionally, a path to a source code directory to use. Will only have an effect if parameter package is missing.
...	Additional argument unused
test_dir	An option directory where test files should be written. Defaults to a temporary directory.
clean	Whether the test_dir should be removed upon completion of test execution. Defaults to TRUE.
overwrite	Whether files should be overwritten if test_dir already exists. Defaults to TRUE.
roxygenize	Whether R documentation files should be re-written using roxygen2 prior to testing. When not FALSE, tests written in roxygen2 tags will be used to update R documentation files prior to testing to use the most up-to-date example tests. May be TRUE, or a list of arguments passed to roxygen2::roxygenize . By default, only enabled when running outside of R CMD check and while taking roxygen2 as a dependency.
reporter	A testthat reporter to use. Defaults to the active reporter in the testthat environment or default reporter.

Details

1. Each example expression is expected to run without error
2. Any testex expectations are expected to pass

Generally, you won't need to use this function directly. Instead, it is called by a file generated by `use_testex_as_testthat()` which will add any testex example tests to your existing testthat testing suite.

Value

The result of `testthat::source_file()`, after iterating over generated test files.

Note

It is assumed that this function is used within a testthat run, when the necessary packages are already installed and loaded.

Examples

```
# library(pkg.example)
path <- system.file("pkg.example", package = "testex")
test_examples_as_testthat(path = path)
```

uses_roxygen2	<i>Checks for use of roxygen2</i>
---------------	-----------------------------------

Description

Checks for use of roxygen2

Usage

```
uses_roxygen2(path)
```

Arguments

path A file path to a package source code directory

Value

A logical value indicating whether a package takes roxygen2 as a dependency.

use_testex *Add `testex` tags and configure package to fully use `testex` features*

Description

Add `testex` tags and configure package to fully use `testex` features

Usage

```
use_testex(path = getwd(), check = TRUE, quiet = FALSE)
```

Arguments

path	A package source code working directory
check	A logical value indicating whether tests should be executing during R CMD check.
quiet	Whether output should be suppressed

Value

The result of `write.dcf()` upon modifying the package DESCRIPTION file.

Note

The `testex` roxygen2 tags behave similarly to roxygen2 `@examples` tags, with the minor addition of some wrapping code to manage the tests. This means that they will be integrated into your `@examples` and can be intermixed between `@examples` tags

use_testex_as_testthat *Run examples as testthat expectations*

Description

Run examples as testthat expectations

Usage

```
use_testex_as_testthat(path = getwd(), context = "testex", quiet = FALSE)
```

Arguments

path	A package source code working directory
context	A testthat test context to use as the basis for a new test filename.
quiet	Whether to emit output messages.

Value

The result of `writelnLines()` after writing a new testthat file.

with_attached	<i>Temporarily attach a namespace</i>
---------------	---------------------------------------

Description

This function is primarily for managing attaching of namespaces needed for testing internally. It is exported only because it is needed in code generated within Rd files, but is otherwise unlikely to be needed.

Usage

```
with_attached(ns, expr)
```

Arguments

ns	A namespace or namespace name to attach
expr	An expression to evaluate while the namespace is attached

Value

The result of evaluating `expr`

with_srcref	<i>Raise testthat Expectations With A Known Source Reference</i>
-------------	------------------------------------------------------------------

Description

Retroactively assigns a source file and location to a expectation. This allows `testthat` to report an origin for any code that raised an example test failure from the source roxygen2 code, even though the test code is reconstructed from package documentation files.

Usage

```
with_srcref(src, expr, envir = parent.frame())
```

Arguments

src	A <code>srcref_key</code> which is parsed to produce an artificial <code>srcref</code> for the expectation signaled messages.
expr	An expression to be evaluated. If an expectation condition is raised during its evaluation, its <code>srcref</code> is converted to <code>src</code> .
envir	An environment in which to evaluate <code>expr</code> .

Value

The result of evaluating `expr`, or an expectation with appended `srcref` information if an expectation is raised.

Index

* **use**
 use_testex_as_testthat, 8

fallback_expect_no_error, 2

I(), 3

roxygen2::roxygenize, 6

srcref, 9, 10

test_examples_as_testthat, 6

testex, 3, 4, 5, 8

testex-roxygen-tags, 4

testex-testthat, 5

testthat::source_file(), 7

use_testex, 8

use_testex_as_testthat, 8

use_testex_as_testthat(), 7

uses_roxygen2, 7

with_attached, 9

with_srcref, 9

write.dcf(), 8

writelnLines(), 9